Flame Retardant Decorative PVC Ceiling Panel Matt Class A SGS Certificate

Basic Information

CHINA • Place of Origin: HB-DECOR • Brand Name: • Certification: MSDS,CE,SGS **PVC CEILING PANEL** Model Number: • Minimum Order 3000M2 Quantity: USD1.3-2.5/M2 • Price: • Packaging Details: POLYBAG/CARTON • Delivery Time: 10days after receive deposit • Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram • Supply Ability: **40CONTAINERS PER MONTH**



Product Specification

• Fire Rating:	Class A
Color:	Printing
Installation Method:	Screw
Weight:	2.5kg/m2
Thickness:	7-9mm
Material:	PVC
Surface Finish:	Smooth
Moisture Resistance:	High
Advantage:	Flame Retardant
Certificate:	Class A SGS Certificate
Highlight:	Flame Retardant Decorative PVC Ceiling Decorative PVC Ceiling Panel Matt, SGS PVC Ceiling Panel

The Flame Retardant Decorative PVC Ceiling Panel in a matt finish with a Class A SGS Certificate offers a remarkable solution for ceiling design and safety.

This PVC ceiling panel is engineered with flame retardant properties, providing an added layer of protection in case of fire. It significantly reduces the risk of fire spread, making it a reliable choice for various settings, including commercial and public spaces.

The decorative aspect of the panel is not to be overlooked. Its matt finish adds a touch of elegance and sophistication to any room. Available in a variety of designs and colors, it allows you to customize the look of your ceiling to match your interior decor preferences.

The Class A SGS Certificate attests to the high quality and safety standards of this product. It gives you the confidence that you are investing in a reliable and compliant ceiling panel.

For example, in office buildings, hospitals, or schools, these panels not only enhance the aesthetic appeal but also ensure the safety of occupants. In residential settings, they provide both style and peace of mind.

In summary, the Flame Retardant Decorative PVC Ceiling Panel with a matt finish and Class A SGS Certificate combines safety, style, and quality, making it an excellent choice for creating beautiful and secure ceilings.

Features:

Durability of PVC Ceiling Panels

PVC ceiling panels have excellent durability and resistance to wear and tear, making them suitable for use in high-traffic areas and wet environments. They can withstand impact, moisture, and chemicals, so they will not easily get damaged. Lightweight Ceiling Panels

PVC ceiling panels are lightweight compared to other materials, making them easier to handle and install. This also means that they don't place a significant load on the ceiling structure, so the risk of any ceiling damage is minimized. Moisture Resistance

The moisture-resistant properties of PVC ceiling panels make them ideal for use in moist areas like bathrooms, kitchens, or other areas where water is present. They are also easy to clean with just a damp cloth. Fire Resistance

The flame-retardant nature of PVC ceiling panels makes them a safe choice for use in buildings. They can prevent the spread of fire and minimize the risk of damage.

Versatile

PVC ceiling panels come in many colors, textures, and finishes, so they can match any interior design style. They can be cut and installed in different patterns and configurations, allowing for more design freedom.

Easy to Install

PVC ceiling panels are easy to install, and require only basic tools. They can be cut to fit around obstacles like pipes and electrical outlets. No special skill or extensive preparation is needed.

Technical Parameters:

Parameter	Specification
Color	Printing
Moisture Resistance	High
Warranty	10 Years
Installation Method	Screw
Weight	2.5kg/m2
Material	PVC
Fire Rating	Class A
Durability	High
Thickness	7-9mm
Surface Finish	Smooth
Parámetro	Especificación
Color	Impresión
Resistencia ala humedad	Alto

Garantía	10 Años
Método de instalación	Atornillar
Peso	2,5 kg/m2
Material	PVC
Calificación de fuego	Clase A
Durabilidad	Alto
Espesor	7-9 mm
Acabado de superficie	Liso

Applications:

HB-DECOR PVC Ceiling Panel is a decorative product made from PVC material with high moisture resistance. It is designed to be used in a variety of situations such as residential and commercial spaces. It is lightweight and easy to install, with a thickness of 7-9mm. The product is certified by MSDS, CE, and SGS, and comes with a 10-year warranty. It has a minimum order quantity of 3000M2 and is shipped in polybag/carton packaging, with delivery time of 10days after receiving the deposit. Because of its durability and long lasting beauty, PVC Ceiling Panel is an ideal choice for techos pvc, and cielo raso en pvc applications.

Customization:

Customized Service for Decorative PVC Ceiling Panel Brand Name: HB-DECOR Model Number: PVC CEILING PANEL Place of Origin: CHINA Certification: MSDS,CE,SGS Minimum Order Quantity: 3000M2 Packaging Details: POLYBAG/CARTON Delivery Time: 10days after receive deposit Thickness: 7-9mm Installation Method: Screw Weight: 2.5kg/m2 Moisture Resistance: High Fire Rating: Class A TECHOS PVC, PVC CEILING, TECHOS PVC DECORATIVOS

Get customized service for Decorative PVC Ceiling Panel from HB-DECOR, featuring MSDS,CE,SGS certification, 7-9mm thickness, 2.5kg/m2 weight, high moisture resistance and Class A fire rating.

Support and Services:

Our Decorative PVC Ceiling Panel offers technical support and services to customers. We provide installation advice, troubleshooting support and product warranties. We are available to answer any questions you have about our product and provide guidance on installation and use. We also provide regular maintenance and repair services, as well as any other technical assistance you may need. Our team is dedicated to providing excellent customer service and ensuring your satisfaction with our product.

Packing and Shipping:

Packaging and Shipping of Decorative PVC Ceiling Panel

The Decorative PVC Ceiling Panel is packaged and shipped in strong cardboard boxes. The product is then wrapped securely in bubble wrap and placed inside the box. A layer of foam padding is added on top of the product to protect it from any damage during shipping. The boxes are then sealed securely with strong tape and labeled with the product name, description, and shipping address. The package is then ready to be shipped through the desired shipping method.

