# HB-DECOR Focus on Life HAINING HAOBO BUILDING MATERIALS CO., LTD hb-buildingmaterials.com

# Waterproof Wpc Fluted Panel For Exterior Residential Exteriors And Outdoor Walls

## **Basic Information**

Place of Origin: ChinaBrand Name: HB-DECOR

Certification:
 FSC、LEED、GREENGUARD

Minimum Order Quantity: 100m²
 Price: Negotiable

• Delivery Time: 10days after receive deposit

• Payment Terms: L/C,T/T,D/A,D/P,Western Union,MoneyGram

Supply Ability: 40CONTAINERS PER MONTH



# **Product Specification**

Product Name: Wpc Fluted Panel Exterior

Application: Residential Exteriors / Public Spaces

Length: 2m-6m CustomizableFlute Depth: 3mm, 5mm, Etc

Thickness: 10mm, 12mm, 15mm, 20mm, EtcWidt: 100mm-300mm Customizable

• Texture: Wood Grain , Matte , Glossy , Relief , Etc

Waterproof Rating: Water Absorption Rate <0.5%</li>
 Eco-Certifications: FSC、LEED、GREENGUARD

• Material: WPC

Highlight: Outdoor Walls Wpc Fluted Panel,

Waterproof Wpc Fluted Panel, Exterior Residential Wpc Fluted Panel



## **Product Description**

#### Wpc Fluted Panel Exterior Residential Exteriors Outdoor Wpc Wall Panel

Upgrade your residential exteriors with HB-DECOR's premium WPC Fluted Panel Exterior - the perfect fusion of durability and modern aesthetics. Our innovative wood-plastic composite panels feature deep vertical fluting that creates stunning shadow play while providing exceptional weather resistance.

#### **Key Advantages**

- · All-Weather Performance UV-stabilized formula prevents fading, warping or cracking
- Low-Maintenance Luxury No painting or sealing required, easy to clean
- Architectural Versatility Available in multiple profiles (3-8mm flute depth) and woodgrain finishes
- Sustainable Choice Made with recycled materials and FSC-certified wood fibers

Perfect for: Modern home facades, garden walls, balcony screens and entrance features.

HB-DECOR brings you exterior wall solutions that combine beauty, performance and effortless maintenance -the smarter choice for contemporary living.

#### Specification

Category	Parameter	Specification
Material Composition	Wood Fiber Content	60-65%
	Polymer Matrix	HDPE + PP Composite
	Additives	UV Stabilizers, Fire Retardants, Fungicides
Physical Properties	Density	1.25-1.35 g/cm <sup>3</sup>
	Water Absorption	≤0.3% (24h immersion)
	Thermal Expansion	0.07-0.12 mm/m·°C (20-60°C)
Mechanical Performance	Flexural Strength	≥25 MPa
	Impact Resistance	≥8 kJ/m²
Fire Performance	Fire Rating	B-s1,d0 (EN 13501-1)
	Flame Spread	Class C (ASTM E84)
Weather Resistance	UV Stability	ΔE≤3 after 3000h QUV
	Freeze-Thaw Cycling	No cracking after 50 cycles
Dimensions	Panel Width	150/200/250 mm (±0.5mm)
	Panel Length	2400-6000 mm (customizable)
	Thickness	12/15/20 mm (±0.3mm)
	Flute Depth	3/5/8 mm (±0.2mm)
Installation	Mounting System	Hidden Clip/Aluminum Rail
	Maximum Span	600mm (20mm thickness)
Certifications	Environmental	FSC, LEED compliant

Category	Parameter	Specification
	Quality	ISO 9001, ISO 14001

#### **Application Scenarios**

Transform your home's exterior with HB-DECOR WPC Fluted Panels—a perfect blend of modern aesthetics, durability, and low maintenance. Designed for residential applications, these panels enhance curb appeal while providing long-lasting protection against harsh weather conditions.

#### Why Choose HB-DECOR for Your Home?

Sleek & Modern Design - Deep vertical fluting creates elegant shadow effects, elevating contemporary home facades, fences, and accent walls.

Weatherproof & Fade-Resistant - UV-stabilized materials prevent color fading, warping, or cracking, even in extreme climates.

Zero Maintenance - No painting, staining, or sealing required—just occasional cleaning with water.

Easy Installation - Compatible with hidden clip systems for seamless, professional-looking finishes.

Eco-Friendly – Made with sustainable wood-plastic composite (FSC-certified), free from harmful chemicals.

# HB-DECOR HAINING HAOBO BUILDING MATERIALS CO.,LTD



+8613586328467



info@hb-decor.com



hb-buildingmaterials.com

SHANGDU YINZUO 1607, NO. 271 HANING DADAO, HAIZHOU STREET, HAINING, CHINA